



PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142

DELIVERY DUE DATE:

Supplier : **SCIGATE TECHNOLOGY CORP.**
 Address : **N Domingo Street, San Juan City, Metro Manila**
 TIN : **007-428-191-00000 VAT Reg.**
 Contact No : **8703-1902/8703-1903, Telefax: 79567031**

P.O. No. : **2026-073**
 Date : **02/12/2026**
 Mode of Procurement : **Public Bidding**

Gentlemen:


Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **TARLAC STATE UNIVERSITY**Delivery Term : **180 calendar days**

Date of Delivery : _____

Payment Term : **n/30**

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
1	set	LOT 1 - PLASTINATED SPECIMENS FEMALE GENDER OF PLASTINATED HUMAN CADAVER (VISCERA INSITU) HONG KONG BLUE BAY/DALIAN HOFFEN Specifications: - Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts. • Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. - Plastinates should have a life-like natural color - Plastinates should be completely dry to touch not gluey, sticky or watery. - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers 19 - Plastinates should be non-toxic and does not possess any allergic reactions to the eyes, nose, skin etc. - Plastinates should be portable ie not heavy with - Distributor should replace specimen when it does not conform to the conditions above. - Plastinates should have a 3-Dimensional feature - Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temp range of 20-30 deg C - Distributor should render free aftersales and preventive maintenance service for at least 5 years. - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification HORIZONTAL SECTION OF THE WHOLE BRAIN (PLASTINATED) HONG KONG BLUE BAY/DALIAN HOFFEN Whole brain, accorded to canthomeatal line, Horizontal section, about 10 - 12 slices at 10mm; Specifications: Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts. - Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. - Plastinates should have a life-like natural color Plastinates should be completely dry to touch not gluey, sticky or watery. - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers - Plastinates should be non toxic and does not possess any allergic reactions to the eyes, nose, skin etc. - Plastinates should be portable ie not heavy with - Distributor should replace specimen when it does not conform to the conditions above. - Plastinates should have a 3-Dimensional feature - Plastinates can be stored in tree air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temp range of 20-30 degC - Distributor should render free aftersales and preventive maintenance service for at least 5 vears - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification	1	8,995,000.00	8,995,000.00
2	set	HORIZONTAL SECTION OF THE WHOLE BRAIN (PLASTINATED) HONG KONG BLUE BAY/DALIAN HOFFEN Whole brain, accorded to canthomeatal line, Horizontal section, about 10 - 12 slices at 10mm; Specifications: Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts. - Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. - Plastinates should have a life-like natural color Plastinates should be completely dry to touch not gluey, sticky or watery. - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers - Plastinates should be non toxic and does not possess any allergic reactions to the eyes, nose, skin etc. - Plastinates should be portable ie not heavy with - Distributor should replace specimen when it does not conform to the conditions above. - Plastinates should have a 3-Dimensional feature - Plastinates can be stored in tree air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temp range of 20-30 degC - Distributor should render free aftersales and preventive maintenance service for at least 5 vears - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification	1	780,000.00	780,000.00
sub-total:					9,775,000.00





PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142

DELIVERY DUE DATE:


Supplier : SCIGATE TECHNOLOGY CORP. Address : <u>N Domingo Street, San Juan City, Metro Manila</u> TIN : <u>007-428-191-00000 VAT Reg.</u> Contact No : <u>8703-1902/8703-1903, Telefax: 79567031</u>	P.O. No. : <u>2026-073</u> Date : <u>02/12/2026</u> Mode of Procurement : <u>Public Bidding</u>
---	---

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY Date of Delivery : _____	Delivery Term : <u>180 calendar days</u> Payment Term : <u>n/30</u>
--	--

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
LOT 1 - PLASTINATED SPECIMENS					
		Balance Forwarded:			9,775,000.00
3	set	CORONAL SECTION OF THE WHOLE BRAIN (PLASTINATED) HONG KONG BLUE BAY/DALIAN HOFFEN Whole brain, coronal section, about 9 - 10 slices at 15 mm Specifications: - Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts. - Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. - Plastinates should have a life-like natural color - Plastinates should be completely dry to touch not gluey, sticky or watery - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers - Plastinates should be non-toxic and does not possess any allergic reactions to the eyes, nose, skin etc. - Plastinates should be portable ie not heavy with - Distributor should replace specimen when it does not conform to the conditions above. Plastinates should have a 3-Dimensional feature - Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temp range of 20-30 deg C - Distributor should render free aftersales and preventive maintenance service for at least 5 years, - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification	1	790,000.00	790,000.00
4	set	THE BRAIN AND 12 PAIRS OF CRANIAL NERVES (PLASTINATED) HONG KONG BLUE BAY/DALIAN HOFFEN Dissected to show the whole brain and 12 pairs of cranial nerves roots intact Specifications: - Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts! - Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. Plastinates should have a life-like natural color - Plastinates should be completely dry to touch not gluey, sticky or watery. - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers - Plastinates should be non-toxic and does not possess any allergic reactions to the eyes, nose, skin etc. - Plastinates should be portable ie not heavy with - Distributor should replace specimen when it does not conform to the conditions above. - Plastinates should have a 3-Dimensional feature - Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 50% and can withstand temp range of 20-30 deg C - Distributor should render free aftersales and preventive maintenance service for at least 5 years. - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification	1	379,000.00	379,000.00
sub-total:					10,944,000.00





PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142

DELIVERY DUE DATE:


Supplier : SCIGATE TECHNOLOGY CORP. Address : N Domingo Street, San Juan City, Metro Manila TIN : 007-428-191-00000 VAT Reg. Contact No : 8703-1902/8703-1903, Telefax: 79567031	P.O. No. : 2026-073 Date : 02/12/2026 Mode of Procurement : Public Bidding
---	---

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY Date of Delivery : _____	Delivery Term : 180 calendar days Payment Term : n/30
--	--

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
		LOT 1 - PLASTINATED SPECIMENS			10,944,000.00
		Balance Forwarded:			
5	set	ARTERIES AT THE BASE OF THE BRAIN (PLASTINATED) HONG KONG BLUE BAY/DALIAN HOFFEN Dissected to show the basilar artery, internal Carotid artery and the main branches Specifications - Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts. - Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. - Plastinates should have a life-like natural color - Plastinates should be completely dry to touch not gluey, sticky or watery. - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers - Plastinates should be non-toxic and does not possess any allergic reactions to the eyes, nose, skin etc. - Plastinates should be portable i e not heavy with - Distributor should replace specimen when it does not conform to the conditions above. - Plastinates should have a 3-Dimensional feature - Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 50% and can withstand temp range of 20-30 deg C - Distributor should render free aftersales and preventive maintenance service for at least 5 years - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification	1	389,000.00	389,000.00
6	set	SUPERFICIAL VEINS OF THE BRAIN (PLASTINATED) HONG KONG BLUE BAY/DALIAN HOFFEN Unilateral, dissected to show the veins of the lateral surface of cerebral hemisphere Specifications: - Plastinated specimens are preserved using specialized silicone or compound for whole body or regional parts. - Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. - Plastinates should have a life-like natural color 21 - Plastinates should be completely dry to touch not gluey, sticky or watery. - Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers - Plastinates should be non-taxic and does not possess any allergic reactions to the eyes, nose, skin etc - Plastinates should be portable le not heavy with - Distributor should replace specimen when it does not conform to the conditions above. - Plastinates should have a 3-Dimensional feature - Plastinates can be stored in free air (not airconditioned) indefinitely.	1	385,000.00	385,000.00
		sub-total:			11,718,000.00





PURCHASE ORDER

Procurement Unit

Telephone No. : (045) 606-8110 local 157/142

DELIVERY DUE DATE:

Supplier : SCIGATE TECHNOLOGY CORP. Address : N Domingo Street, San Juan City, Metro Manila TIN : 007-428-191-00000 VAT Reg. Contact No : 8703-1902/8703-1903, Telefax: 79567031	P.O. No. : 2026-073 Date : 02/12/2026 Mode of Procurement : Public Bidding
---	---

Gentlemen:
 Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY Date of Delivery : _____	Delivery Term : 180 calendar days Payment Term : n/30
--	--

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
		LOT 1 - PLASTINATED SPECIMENS			
		Balance Forwarded:			11,718,000.00
		Humidity ranges below 60% and can withstand temp range of 20-30 deg C- Distributor should render free aftersales and preventive maintenance service for at least 5 years. - Distributor should be able to provide repair when specimens are damaged. - Distributor should have an actual demo unit during post qualification			
		***** Purpose: "Supply and Delivery of Laboratory and Simulation Equipment" (P.R. No. 2025-10-348)			11,718,000.00


Eleven Million Seven Hundred Eighteen Thousand Pesos Only

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s. Contract may be terminated in whole or in part, at anytime for the convenience of the Government upon thirty (30) calendar days' written notice, if determined the existence of conditions make the project implementation economically, financially or technically

Conforme:

FRANCIS W L. GO, JR.
 Signature over Printed Name of Supplier

 Date



Very truly yours,

DR. ARNOLD E. VELASCO
 President
 Authorized Official

Fund Cluster : _____ Funds Available : _____ <p style="text-align: center;"> <u>JASPER A. YAUDER, CPA</u> Budget Officer </p>	ORS/BURS No. : <u>06-202441-2026-02-0009</u> Date of the ORS/BURS: <u>Feb 19, 2026</u> Amount : <u>11,718,000.00</u>
--	--