



REQUEST FOR QUOTATION (RFQ) No. 411-2021

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2021-132 (MISO)	SUPPLY & DELIVERY SERVICES: FIBER FUSION SPLICER	800,000.00

Purpose:

Philgeps Posting: Active Date: 11/5/21 Closing Date: 11/11/21 Category: IT Reference No.: 815 2923

Interested suppliers are required to submit the following documents:

- Valid and Current Mayor's / Business Permit
- Latest Income / Business Tax Return
- Proof of PhilGeps Registration
- Omnibus Sworn Statement
- Brochure, if applicable

TSU Condition of Sale:

- Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
- Bid Validity: 120 calendar days from submission of bids
- Delivery Site: Supply and Property Management Unit, Tarlac State University
(045) 606-8159 / (045) 982-2605
- Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1-7) and eligibility documents is not later than 11/11/21 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at tsucanvassing@gmail.com / julietelaineacuna@yahoo.com / javy_carlos@yahoo.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

CARLOTA M. MARCOS
Head, Procurement Unit

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	lot	SUPPLY & DELIVERY SERVICES: FIBER FUSION SPLICER	1		
		for Tarlac State University			
		Technical Specification:			
		1 package of Fiber Fusion Splicer with Accessories			
		1x Fiber Fusion Splicer			
		Splicing Method: core Alignment DCID (digitized core image detecting) System, Average Loss : SM(0.02dB) / MM(0.01dB) / DS(0.04dB) / NZDS(0.04dB) / G.657(0.02dB) Return Loss : >>60db Splice Time : 6/8s average SM Electrode Lifespan : >5,500 arcs Applicable Fiber : SM(ITU-T G.652&G.657) / MM(ITU-T G.651) / DS(ITU-T G.653) / NZDS(ITU-T G.655) / IT-G657A / IT-G657B, 0.25mm, 0.9mm, 2.0mm, 2.4mm, 3.0mm, FLAT(Indoor cable) Cleaved Length : Coating Diameter < 0.25mm = 5-16mm, Coating Diameter > 0.25mm = 8-16mm minimum Coating Diameter : 100-3000um Cladding Diameter : 80-150um Heating Programs : Factory installed mode : 4 User installable mode : 32			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982-4630 / (045) 606-8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Heating Programs : Factory installed mode : 4 User installable mode : 32 Heating Time : Typical 10s (60mm sleeve) / 5 Sec (Micro Sleeve: 60mm cutting diameter 250um) Protection Sleeve : 20, 25, 30, 40, 60mm, SOC-3.0, SOC-0.9 & Micro sleeve Data Output : USB 2.0 Splice Programs : Factory Installed mode : 17, User installable mode : 128 Splice Memory : Up to 10,000 records and 2,000 splice images Battery : Li-ion 5,200mAh, Typical 200 Cycles (Splice & Heat) / single battery <2 Batteries in package> Power Supply : AC 100-240V input or DC 12.6v 1.8A Monitor: Color 4.3"HD LCD monitor, with Full Touch Screen (Tempered Glass) Cameras : 2 CCD camera system Magnification : XY : 160 power , X/Y : 320 power Fiber Display : X/Y or XY, single X.Y Pull Test : 1.96~2.25N (standard) 1-year warranty, onsite repair or unit replacement			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		2 x High Precision Cleaver Detailed Specifications: Type : Single Fiber Applicable Fiber: 250um, 900um, 2mm, 3mm, Drop Cable Clad Diameter: 80-125um Length 8-20mm (Single Fiber) Cleaving Angle: ≤ 0.5 Lifespan of Blade: 50,000 times Operation Step: 2 steps / Auto Pushback Slider Block Holder: Universal Holder Collector: Auto Collector (50G+) 1-year warranty, onsite repair, or unit replacement Included Accessories Thermal Stripper – includes AC adapter, Brush Two Battery Packs, Fiber Holders (2pr-250,900), Cooling Tray, SOC Holder, SOC Holder 2/3, SL60-100 Splice Sleeves, One Tap Cleaning Fluid, Lint Free Wipes (50), Splice Tray Holder, SOC Heater Block. Spare Electrodes (Pair), Car Charger, USB Firmware Update Cable, Three- Hole Stripper, Philips, Screwdriver, Power Cord / AC Adapter, User Manual CD, Yellow Hard Case w/ Shoulder Strap			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		50 pcs of 3M SC-SC Single-mode Fiber Optic Cable Patch Cord			
		Specifically designed for Ethernet, multimedia or other communication application, Material (External) : PVC Connector, Type : SC to SC , Core : Singlemode Fiber Length : 3m , Color : Yellow			
		50pcs of 3M LC-LC Multi-mode Duplex Fiber Cord			
		Connector: LC/PC-LC/PC, Fiber Type: Multi-mode Fiber, Cable Type: Duplex , Spec.: Insertion loss: ≤0.3dB; , Return loss: ≥35dB, Cable Diameter: 2.0mm			
		1 unit of Visual Fault Locator for Fiber Optic Cable			
		Fiber compatibility multimode and single mode Wavelength 650nm (visible wavelength), Laser safety rating class II, Output power 1.0mW max. Output modes continuous (steady) and flashing (2-3Hz pulsed), Range 3 km multimode, 4 km single mode, Vibration Random, 2g, 5-500 Hz, Shock 1m drop onto all corners and face, Altitude 3000m, Adapter 2.5mm universal, Adapter cap tethered protective end cap, Controls on/off, continuous/flashing, Battery type 2 x AA, Battery life > 80 hours in continuous mode, Carry case soft sided with belt loop, Safety CSA C22.2 No. 1010.1: 1992, EN 61010-1, CE, 1-year warranty			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		2 units of 10-port Gigabit Smart Managed PoE Switch with 2 Transceiver Modules each <u>Switch Detailed Specifications:</u> 16 x 10/100/1000BASE-T ports 2 x Gigabit SFP ports 2 x 10G SFP+ ports Layer 2 management and security with Layer 3 capabilities Static Routing and MSTP 1000Base-T Interface: 16 1000M SFP Interface: 2 10G SFP+ Interface: 2 Auto MDI/MDIX: Yes Console Port: Yes Switching Capacity: 76 Gbps Max. Packet Forwarding Rate: 56.54 Mpps Packet Buffer Size: 1.5MB FAN: 1 DC Fan Physical Stacking: Yes 1-year warranty <u>Transceiver Module specifications:</u> Should be compatible with the Managed Switches Data Rate: 1.25Gb/s Transmission Distance: 3KM Fiber Type: Single Mode Hot-pluggable, Plug and Play Brand-New, High Quality 1-year warranty			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		2 units of Industrial Gigabit Ethernet Converter with Transceiver Module each <u>Detailed Specifications</u> Ethernet Ports: Ethernet port:10/100/1000Mbps Transmission Distance: 0 – 100m Fiber Port: LC Port, SFP Optical Module, Single Fiber or Dual Fiber Optional, Bandwidth 1.25Gbps Transmission Distance Depend on SFP module performance Standards: IEEE 802.3, IEEE 802.3u, IEEE 802.3ab/z, 10/100/1000Base-T and 1000Base-X, IEEE 802.3 X Power Indicator Light 1 Red Network Indicator Light 1 Green on RJ45 Socket Fiber Indicator Light 3 Green (Link,SD,FED) Power Supply 12~24V DC Surge Immunity: 6kV, Standard: IEC61000-4-5 ESD Protection: Level 3, Standard: IEC61000-4-2 Material: Aluminum Alloy Warranty: 1-year warranty <u>Transceiver Module specifications</u> Should be compatible with the converter Data Rate:1.25Gb/s, Transmission Distance:3KM Fiber Type: Single Mode, Hot-pluggable, Plug and Play Brand-New, High Quality, 1-year warranty			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours.

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 11/4/21
 RFQ No. 411-2021
 PR No. 2021-132 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Additional Requirements			
		<ul style="list-style-type: none"> •Provide training of fiber splicing and equipment handling for 5 persons, training materials included, provide certificates •The Fiber Fusion Splicer must be sold by an authorized partner / reseller of the product being offered. Present certificate of partnership signed by the product's brand authorized personnel. This is to ensure the authenticity of the product being offered and have access to official support of the brand. 			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 8152923
Procuring Entity TARLAC STATE UNIVERSITY
Title Supply & Delivery Services: Fiber Fusion Splicer
Area of Delivery Tarlac

Solicitation Number: 411-2021	Status	Pending
Trade Agreement: Implementing Rules and Regulations	Associated Components	3
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification: Goods	Document Request List	0
Category: Information Technology	Date Published	05/11/2021
Approved Budget for the Contract: PHP 800,000.00	Last Updated / Time	04/11/2021 13:30 PM
Delivery Period: 30 Day/s	Closing Date / Time	11/11/2021 13:00 PM
Client Agency:		
Contact Person: Juliet Elaine Acuna Canvasser Romulo Blvd. Tarlac City Tarlac Philippines 2300 63-045-6068157 julietelaineacuna@yahoo.com		

Description

For MISO use.

Line Items

Item No.	Description	Quantity	Unit	Amount (PHP)
1	Supply & Delivery Services: Fiber Fusion Splicer	1	Lot	800,000.00

Other Information

The bidders must download the attached documents in the associated components section.

Created by Juliet Elaine Acuna
Date Created 04/11/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

